

Safety data sheet NEFF Grease 2

according to 1907/2006/EG, Article 31

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name: NEFF Grease 2

Application / Use: Lubricating grease

Article number: 6604

Relevant identified uses of the substance or mixture and uses advised against:

Application of the substance / the preparation: Uses advised against:

No further relevant information available.

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Neff Gewindetriebe GmbH
Karl-Benz-Straße 24
71093 Weil im Schönbuch
Deutschland
Tel: +49 (0) 7157 538900
Fax: +49(0) 7157 5389025
Email: info@neff-gt.de
www.neff-gewindetriebe.de

Further information obtainable from: Department: Product safety

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

Signal word

Hazard statements

Precautionary statements

The product is classified and labelled according to the CLP regulation.



GHS07

Warning

H319 Causes serious eye irritation.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P264

Wash thoroughly after handling.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313

If eye irritation persists: Get medical advice/attention.

P501

Dispose of contents/container in accordance with local regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

Not applicable.



Safety data sheet NEFF Grease 2

N_42 04 FML 2013-07-03 Safety data sheet NEFF Grease 2.docx

Page 2 of 6

vPvB:

Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixture

Description:

Mixture of base oils with thickener and additives.

Dangerous components:

CAS: 4259-15-8 EINECS: 224-235-5 Reg.nr.: 01-2119493635-27	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) Eye Dam. 1, H318; Aquatic Chronic 2, H411	≤2.5%
CAS: 80939-62-4 EINECS: 279-632-6 Reg.nr.: 01-2119976322-36	Amines, C11-14-branched alkyl, monoethyl and diethyl phosphates Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319	≤1.0%

Additional information:

The wording of the hazard symbols and R-phrases is specified in section 16 if dangerous ingredients are mentioned.
Components with threshold limit values are mentioned at section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take affected persons out into the fresh air.
Position and transport stably in side position.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water.

After swallowing:

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both

acute and delayed:

No further relevant information available.

Information for doctor:

Treat symptomatically.

4.3 Indication of any immediate medical attention

and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, sand, extinguishing powder.
Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents:

Do not use water with full jet.

5.2 Special hazards arising from the substance or mixture:

Formation of toxic gases is possible during heating or in case of fire.
In case of fire, the following can be released:
Nitrogen oxides (NO_x)
Carbon monoxide (CO)
Sulphur oxide (SO_x)

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.
Do not inhale explosion gases or combustion gases.
Wear fully protective suit.

Additional information:

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers, surface or ground water.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.



Safety data sheet NEFF Grease 2

N_42 04 FML 2013-07-03 Safety data sheet NEFF Grease 2.docx

Page 3 of 6

6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Handling:

When handling product in drums use safety footwear and suitable tools. At work please do not eat, drink or smoke.

Information about fire - and explosion protection:

No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.
Prevent any seepage into the ground.
Use only receptacles specifically permitted for this substance/product.

Information about storage in one common storage facility:

Store away from foodstuffs.
Store away from oxidising agents.
Store away from water.

Further information about storage conditions:

Recommended storage temperature: 5 to 40 °C

Shelf life from date of dispatch:

Maximum 3 years

7.3 Specific end use(s):

For more information see technical information.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities:

No further data; see section 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

Additional Occupational Exposure Limit Values for possible hazards during processing:

TLV-TWA oil mist 5 mg/m³

Additional information:

The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.
Wash hands before breaks and at the end of work.
Avoid close or long term contact with the skin.

Respiratory protection:

No respiratory protection is ordinarily required under normal conditions of use.
Select a filter suitable for combined particulate/ gases and organic vapours (boiling point > 65 °C, EN 14387), if exposure limit is exceeded or when aerosol or mist is formed.

Protection of hands:

Safety gloves of nitrile rubber or viton.
Preventive skin protection by use of skin-protecting agents is recommended.

Material of gloves

Fluorocarbon rubber (Viton)
Nitrile rubber, NBR
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Value for the permeation: Level = 6 (480 min)

Eye protection:

Safety glasses with side shields or chemical goggles are required.

Body protection:

Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	Pasty
Colour:	Amber coloured
Odour:	Mild
Odour threshold:	Not determined.

pH-value: Not applicable.

Change in condition

Melting point/Melting range:	> 260 °C
Boiling point/Boiling range:	> 250 °C
Drip point:	Not determined.

Flash point: > 200 °C

Flammability (solid, gaseous): Not determined.

Ignition temperature: Not applicable.

Decomposition temperature: Not determined.

Self-igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

Vapour pressure: Not applicable.

Density at 20 °C: 0.94 g/cm³ (DIN 51 757)

Relative density: Not determined.

Vapour density: Not applicable.

Evaporation rate: Not applicable.

Solubility in / Miscibility with water:

Insoluble.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Kinematic: Not applicable.

9.2 Other information: No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

See 10.2 to 10.6

10.2 Chemical stability:

Stable at normal conditions.

Thermal decomposition / conditions to be avoided:

Avoid contact with heat, sparks, flames and all other sources of ignition.

10.3 Possibility of hazardous reactions:

Reacts with strong oxidising agents.

10.4 Conditions to avoid

No specific data available.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition products:

Oxides of carbon, nitrogen, sulfur and metal oxides

Additional information:

Product is not classified as inflammable but can burn.



Safety data sheet NEFF Grease 2

N_42 04 FML 2013-07-03 Safety data sheet NEFF Grease 2.docx

Page 5 of 6

SECTION 11: Toxicological information

11.1 Information on toxicological effects

These statements are based on data for components of the material or for similar materials.

Acute toxicity:

LD/LC50 values relevant for classification:

4259-15-8 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)

Oral	LD50	> 2000 mg/kg (rat)
Dermal	LD50	> 5000 mg/kg (rabbit)

Primary irritant effect:

on the skin:

Skin contact: Frequent and prolonged skin contact may cause irritation and dermatitis.

on the eye:

Irritating effect.

by inhalation:

No irritant effect expected.

Subacute to chronic toxicity:

Prolonged and/or repeated contact may cause defatting of the skin which can lead to dermatitis and may make the skin more susceptible to irritation and penetration by other materials.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Based of labelling toxic effects are to be expected on aquatic organisms.

4259-15-8 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)

EC50/48h	1 - 1.5 mg/l (Daphnia magna)
LC50/96h	10 - 35 mg/l (Pimephales promelas)

80939-62-4 Amines, C11-14-branched alkyl, monoethyl and diethyl phosphates

EC50/48h	1.2 mg/l (Daphnia magna)
EC50/72h	> 10 mg/l (Selenastrum capricornutum)
LC50/96h	5.5 mg/l (Oncorhynchus mykiss)

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

The product is not soluble in water. If it enters soil, it will adsorb to soil particles and will not be mobile.

Ecotoxicological effects:

Remark:

Harmful to fish.

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Harmful to aquatic organisms.

12.5 Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

12.6 Other adverse effects:

No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

12 01 12*	spent waxes and fats
-----------	----------------------

Uncleaned packaging:

Empty packing completely. Handover to authorized disposal company.

Recommendation:

Disposal must be made according to official regulations.



13. Hinweise zur Entsorgung:

Verfahren der Abfallbehandlung

Empfehlung: Darf nicht zusammen mit Hausmüll entsorgt werden. Nicht in die Kanalisation gelangen lassen.

Europäischer Abfallkatalog

12 01 12* gebrauchte Wachse und Fette

Ungereinigte Verpackungen: Behälter vollständig entleeren. Übergabe an zugelassenes Entsorgungsunternehmen.

Empfehlung: Entsorgung gemäß den behördlichen Vorschriften.

Kontaminierte Verpackungen sind optimal zu entleeren, sie können dann nach entsprechender Reinigung einer Wiederverwertung zugeführt werden.

14. Angaben zum Transport:

UN-Nummer

ADR, ADN, IMDG, IATA entfällt

Ordnungsgemäße UN-Versandbezeichnung

ADR, ADN, IMDG, IATA entfällt

Transportgefahrenklassen

ADR, ADN, IMDG, IATA

Klasse entfällt

Verpackungsgruppe

ADR, IMDG, IATA entfällt

Umweltgefahren:

Marine pollutant: Nein

Besondere Vorsichtsmaßnahmen für den Verwender Nicht anwendbar.

Massengutbeförderung gemäß Anhang II des MARPOLÜbereinkommens

73/78 und gemäß IBC-Code Nicht anwendbar.

15. Rechtsvorschriften

Vorschriften zu Sicherheit, Gesundheits- und Umweltschutz/spezifische Rechtsvorschriften für den Stoff oder das Gemisch

Nationale Vorschriften:

Störfallverordnung: Störfallverordnung, Anhang: nicht genannt.

Klassifizierung nach Betriebssicherheitsverordnung

(BetrSichV): -

Wassergefährdungsklasse: WGK 1 (WGK-Mischungsregel VwVwS): schwach wassergefährdend.

Stoffsicherheitsbeurteilung Eine Stoffsicherheitsbeurteilung wurde nicht durchgeführt.

16. Sonstige Angaben

Empfehlung des Herstellers:

Ausgelaufene flüssige Medien mit Ölbinder aufnehmen und vorschriftsmäßig entsorgen.

Als Hautschutz bei wassermischbaren und nichtwassermischbaren Medien empfehlen wir den Einsatz von COVER SKIN. Fragen bezüglich

Hautschutz und Handschuhmaterial beantwortet gerne Ihr Technischer Berater.

Die Angaben stützen sich auf den heutigen Stand unserer Kenntnisse, sie stellen jedoch keine Zusicherung von Produkteigenschaften dar

und begründen kein vertragliches Rechtsverhältnis.

Relevante Sätze H318 Verursacht schwere Augenschäden.

H411 Giftig für Wasserorganismen, mit langfristiger Wirkung.

R41 Gefahr ernster Augenschäden.



Safety data sheet NEFF Grease 2

N_42 04 FML 2013-07-03 Safety data sheet NEFF Grease 2.docx

Page 6 of 6

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information

14.1 UN-Number	
ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name	
ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	-

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

Information about limitation of use:	Employment restrictions concerning juveniles must be observed. Employment restrictions concerning pregnant and lactating women must be observed.
--------------------------------------	---

Waterhazard class:	Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
--------------------	--

15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.
----------------------------------	--

SECTION 16: Other information

Recommendation of the manufacturer:

Absorb spilled liquid media with AVILUB OELBINDER and dispose in accordance with local regulations. For skin protection when handling water-mixable and not-water-mixable media we recommend application of COVER SKIN.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases	H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.
------------------	---

Department issuing MSDS:	Department: Product safety
Contact:	hse@bantleon.de

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2